



### Overview

HP sets the standard for performance and value in the enterprise with the HP Rack 10000 G2 Series family. This enterprise-class rack cabinet combines next-generation structural integrity cooling and cable management, ease of use capabilities and choice of configuration options to deliver a best-in-class product. The new HP Rack 10000 G2 Series is designated as HP's universal rack, ideal for all HP server and storage platforms including support for HP ProLiant, Integrity, BladeSystem, NonStop, StorageWorks MSA, EVA and XP. The HP 10000 G2 Series is specifically designed to ensure outstanding cooling and cable management making the HP Rack 10000 G2 Series the best choice for enterprise racks.



HP Rack 10000 G2 Series - front view



HP Rack 10000 G2 Series - top view

### Overview

#### At a Glance

- The HP Rack 10000 G2 Series is the first universal rack compatible with all HP rack mounted products including ProLiant, Integrity, Nonstop, HP 9000 and Alpha servers as well as StorageWorks products. This effort simplifies the HP rack product line consolidating all previous rack offerings into a single universal rack for all HP server and storage platforms.
- The HP Rack 10000 G2 Series also offers many improvements over the HP Rack 10000 Series racks:
  - Front door with updated design
  - Front and rear door handles and lock bars for improved security
  - Side panels come in 3 parts for easier manageability and mounting
  - Cable management accessories
  - Improved CTO pallet with offload metal ramp included
  - Improved mounting of stabilization feet with expanded offering to include regular and heavy-duty stabilization feet in 600 mm and 800 mm wide
  - Expanded offering of rack configurations including:
    - 36U and 42U Rack with rear extension kit included, mounted on a shock pallet for CTO
    - New rack tie-down kit and new grounding kit
- Three year limited warranty, parts only (3/0/0)

#### HP Rack 1000 G2 Series

10642 G2 (42U) Rack Cabinet - Pallet	AF001A
10642 G2 (42U) Rack Cabinet - Shock Pallet*	AF002A
10642 G2 (42U) Rack Cabinet - Crated	AF003A
10642 G2 (42U) Rack Cabinet, with Extension - Shock Pallet*	AF004A
10642 G2 (42U) Rack Cabinet, without door - Shock Pallet*	AF005A
10642 G2 (42U) Rack Cabinet - with Extension, without door - Shock Pallet*	AF006A
10636 G2 (36U) Rack Cabinet - Pallet	AF011A
10636 G2 (36U) Rack Cabinet - Shock Pallet*	AF012A
10636 G2 (36U) Rack Cabinet - Crated	AF013A
10636 G2 (36U) Rack Cabinet, with Extension - Shock Pallet*	AF014A
10636 G2 (36U) Rack Cabinet, without door - Shock Pallet*	AF015A
10636 G2 (36U) Rack Cabinet, with Extension, without door - Shock Pallet	AF016A

**\*NOTE:** It is mandatory to use a shock pallet when shipping racks with equipment installed.

**NOTE:** OD1 will appear after the above selected part numbers on your sales order if factory integration is indicated.

### Standard Features

**Product Description - 10642 G2 and 10636 G2** HP sets the standard for industry standard racks in the enterprise with the HP 10000 G2 Series Rack family and rack options. This enterprise-class rack system combines unparalleled design and performance for rack durability, cooling, cable management and flexibility of configuration.

---

**The HP 10000 G2 Series Rack System Compatibility** The following HP products are compatible with the HP Rack 10000 G2 Series:

- HP ProLiant servers
  - HP Integrity servers
  - HP BladeSystem
  - HP NonStop
  - HP StorageWorks MSA, EVA and XP
  - All third party equipment designed to mount on industry standard 19" wide racks
- 

**Industry Standard Support** The HP Rack 10000 G2 Series racks are industry standard 19 inch RETMA standard and will support third-party equipment designed to mount on 19 inch wide

---

**EIA** The HP Rack 10000 G2 Series conforms to EIA-310D Type A cabinet per section 4.1.1

**UL/CES Certification** No

**WEEE** Yes

**RoHS compliant** Yes

---

**Innovative Breakthroughs**

- The 2 meter form factor of the 42U HP 10000 G2 Series rack allows the rack to be pushed upright through most standard doorways for easy door clearance
- HP is the only IT rack provider to offer a complete line of options and accessories that are designed to support HP products.
- Configurable at HP CTO (Configure to Order) facilities with dynamic weight up to 2000 lbs.

---

**Service and Support Offerings (HP Care Pack Services)** Care Pack services provide a range of life cycle support options that let you choose the service levels that meet your business requirements, from basic to mission-critical.

A full range of HP Care Pack hardware and software services are available including:

- Installation and start up
- Education courses
- Extended onsite hardware coverage hours from same business day 13 hours, 5 day to 24 hours, 7 days call window with options including 4-hour response or 6-hour Call To Repair
- Comprehensive range of software technical support for Microsoft, Linux, ProLiant Essentials and VMware-based IT solutions helping to deliver high level of application availability. Response times range from 30 mins for critical problems to 2 hours.
- System Management, Performance Services and Mission Critical Support Solution

**NOTE:** For more information on HP Care Pack services, contact any of our worldwide sales offices or resellers or visit our worldwide Web site on the internet at: <http://www.hp.com/hps/carepack>

**NOTE:** For more complete information on HP Services offerings, customers and resellers, please visit us at: <http://www.hp.com/hps>

**NOTE:** Additional information regarding worldwide limited warranty and technical support is available at: <http://h18004.www1.hp.com/products/servers/platforms/warranty/index.html>

**NOTE:** For more information regarding the Blade service portfolio visit our worldwide web site on the

## Standard Features

internet at: <http://h20219.www2.hp.com/services/cache/81725-0-0-225-121.html>

**NOTE:** The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind.

**NOTE:** The warranties for HP products and services are set forth in the express limited warranty statements accompanying such products and services.

**NOTE:** Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

### Rack Options

Several options allow for quick and easy expansion of the HP Rack 10000 Series racks to create a custom solution.

Front Door	HP 10642 G2 Front Door ALL	AF009A
	HP 10636 G2 Front Door ALL	AF019A

Rack Light Kit	110V/220V Rack Light Kit	361589-B21
	<p><b>NOTE:</b> Supports HP Rack 10000 Series.</p> <p><b>NOTE:</b> This neon light kit is mounted on the rack roof and used to provide light to the rear section of the rack.</p>	

Securing Kit	600W 10000 G2 Rack Tie Down	AF076A
	<p><b>NOTE:</b> The tie down kit is used to secure the rack to the datacenter floor to prevent tipping over during tremors and earthquakes.</p>	

Baying Kit	Baying Kit (Carbon) (supports 24 in and 600 mm floor tile spacing)	248929-B21
	<p><b>NOTE:</b> Supports 24 in and 600 mm floor tile spacing.</p> <p><b>NOTE:</b> The baying kit is used to join two or more 10000 series racks of the same height together in minutes to create a multi-bay configuration. Color is carbon.</p>	

9000/10000 Offset Baying Kit	9000/10000 Offset Baying Kit (42U)	248931-B21
	<p><b>NOTE:</b> This kit can be used to connect 9000 and 10000 series racks of the same U height together. Kit contents include hardware for connecting racks and a panel to cover the 100mm gap at the rear of the two racks.</p>	

Side Panels	10642 G2 (42U) Side Panels (set of two) (Graphite Metallic)	AF054A
	10636 G2 (36U) Side Panels (set of two) (Graphite Metallic)	AF056A
<p><b>NOTE:</b> The lightweight, locking side panels for the 10642 G2 and 10636 G2 racks come in 3 sections for better handling. Side panels are included with the 22U and 14U racks. Color is graphite metallic.</p>		

Stabilization Kits	Ballast Option Kit	120672-B21
	<p><b>NOTE:</b> The Ballast Option Kit is designed to provide additional stability and support when used with the Stabilizer Kit. It is typically used when very heavy equipment is routinely installed, removed or accessed within the rack.</p>	
	600mm G2 Stabilizer Option Kit (Graphite)	AF062A
	600mm G2, Heavy Duty Stabilizer Option Kit (Graphite)	AF064A
<p><b>NOTE:</b> An anti-tip stabilizer provides stability and support when equipment is installed, removed or accessed within the rack. Heavy Duty stabilizer kits should be used when a single racked component exceeds 200 lbs.</p>		

Grounding Kit	HP 10000 G2 Rack Grounding Kit	AF074A
	<p><b>NOTE:</b> 0D1 will appear after the above selected part numbers on yours sales order if factory integration is indicated.</p>	

### Rack Options

<b>Cable Management</b>	<p>Cable Management "D" Rings Kit 10 pack <span style="float: right;">168233-B21</span></p> <p><b>NOTE:</b> This kit consists of 10 "D" rings that can be used in addition to the rings that ship standard in the 10000 G2 series rack for cable management.</p> <p>HP Hoop and Loop Strips <span style="float: right;">379820-B21</span></p> <p><b>NOTE:</b> 0D1 will appear after the above selected part numbers on yours sales order if factory integration is indicated.</p>
<hr/>	
<b>Blanking Panels (Carbon Graphite)</b>	<p>1U Universal Blanking Panel kit (10 panels) <span style="float: right;">AF072A</span></p> <p>1U Universal Blanking Panel kit (100 panels) <span style="float: right;">AF073A</span></p> <p><b>NOTE:</b> 0D1 will appear after the above selected part numbers on yours sales order if factory integration is indicated.</p>
<hr/>	
<b>Rack Drawer</b>	<p>Rack mounted 2U Drawer <span style="float: right;">361591-B21</span></p> <p><b>NOTE:</b> 0D1 will appear after the above selected part numbers on yours sales order if factory integration is indicated.</p>
<hr/>	
<b>Cable Trays Kits</b>	<p>Rack Top Cable Tray, 600W <span style="float: right;">383982-B21</span></p> <p>Rack Top Cable Tray, 800W <span style="float: right;">383983-B21</span></p> <p>Rack to Rack Adjustable Cable Tray, Aisle Transfer Bridge <span style="float: right;">383984-B21</span></p> <p><b>NOTE:</b> This kit mounts on the top of the 9000 and 10000 Series rack (except the S10614 rack) and pulls heated air from the back of the rack out through the top. Kit color is graphite.</p>
<hr/>	
<b>Fan Kits</b>	<p>Fan Kit (Graphite) (110V) <span style="float: right;">257413-B21</span></p> <p>Fan Kit (Graphite) (220V) <span style="float: right;">257414-B21</span></p> <p><b>NOTE:</b> 0D1 will appear after the above selected part numbers on yours sales order if factory integration is indicated.</p>
<hr/>	
<b>Rear Extension Kits</b>	<p>10636 G2 Rear Extension Kit <span style="float: right;">AF060A</span></p> <p>10642 Rear Extension Kit (155mm) <span style="float: right;">AF058A</span></p> <p><b>NOTE:</b> The rear extension kits are compatible with 10000 G2 Series, 10000 Series and the 9000 Series racks.</p> <p><b>NOTE:</b> This is only a sampling of the many HP Rack options available. See the HP rack products Web site for more complete information at <a href="http://www.hp.com/products/rackoptions">http://www.hp.com/products/rackoptions</a></p> <p>Contact your nearest HP Authorized Reseller or Service Provider for information about ordering HP parts.</p> <p>In the United States, HP can make arrangements to have your rack system installed by qualified Guaranteed Service Providers. This installation service covers the entire hardware installation sequence, from unpacking the components to routing cabling and running a test of the system.</p>
<hr/>	
<b>Service and Support Offerings (HP Care Pack Services)</b>	<p>Hardware Installation (Electronic) <span style="float: right;">U2871E</span></p>

## Technical Specifications

### 10642 Rack G2 (42U)

Dimensions (HxDxW)	<b>Total Cabinet Area</b>	78.7 x 39.691 x 24 in (199.90 x 100.82 x 60.96 cm)
	<b>Shipping</b> (with packaging materials)	86.22 x 48 x 32 in (219 x 121.92 x 81.28 cm)
Weight	<b>Operating</b>	253 lb (114.84 kg)
	<b>Shipping</b>	284 lb (129 kg)
Load	<b>Static</b>	2000 lb (908 kg)
	<b>Dynamic</b>	2000 lb (908 kg)
Color	<b>Doors</b>	Graphite Metallic
	<b>Frame</b>	Carbon

### 10636 Rack G2 (36U)

Dimensions (HxDxW)	<b>Total Cabinet Area</b>	68.6 x 39.691 x 24 in (174.24 x 100.82 x 60.96 cm)
	<b>Shipping</b> (with packaging materials)	75.25 x 48 x 32 in (191.14 x 121.92 x 81.28 cm)
Weight	<b>Operating</b>	220 lb (100 kg)
	<b>Shipping</b>	272 lb (123 kg)
Load	<b>Static</b>	2000 lb (908 kg)
	<b>Dynamic</b>	1520 lb (690 kg)
Color	<b>Doors</b>	Graphite Metallic
	<b>Frame</b>	Carbon

© Copyright 2006 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.